


CRANE OPERATOR HOIST 2 PK

CEDA®

Safe and fast hoist for crane operating personnel









Modular components for safe and quick assembly

- 1 Hoist cage with transition ramp
- Safe putting on of the lightweight ladder sections (22 kg) through the opened roof
- 3 Easy assembly thanks to the patented quick locking system
- 3 Integrated cable channel for guiding the trailing cable without any problems
- 4 Special anchorings for the rails to be installed tension-free to the crane mast
- 5 Base unit consisting of over speed safety device and cable bin for an assembly height of 60 m. Option: cable bin for an assembly height of 120 m (higher heights on request)

Professional functionality – examined safety

- Over speed safety device guarantees more safety
- Electrical security elements prevent improper operation
- DOption: choose between control unit in the hoist cage or on the entrance/exit
- Safe transition thanks to the lateral protection and the barrier

The GEDA 2 PK is an individually applicable rack and pinion hoist with aluminium ladder sections. It is able to transport the crane operator to his working place in very short time.

Its big advantage: concentrated working from the beginning regardless of meteorological conditions and motivation.

The GEDA 2 PK meets the requirements of the European Machinery Directive.

You can use the GEDA 2 PK for all types of cranes of the different manufacturers.



CRANE OPERATOR HOIST

Load capacity 200 kg/ 2 people
Drive 1.5 kW/400V/50Hz
Lifting speed 25 m/min.
Lift cage 0.6 x 1.1 m (1.8 m)
Lifting height max. 120 m







▶ Innovations
 ▶ Know-how
 ▶ Up-to-date production technologies
















Your dealer:



GEDA-Dechentreiter GmbH & Co. KG

Mertinger Straße 60 D-86663 Asbach-Bäumenheim Phone +49 (0) 906 9809-0 Fax +49 (0) 906 9809-50 vertrieb@geda.de www.geda.de